

**evoke<sup>®</sup>**

**LUXURY VINYL**

**Back Nine Collection  
TDS Sheet**



**Birdie**  
45676



**Fairway**  
45677



**Clubhouse**  
45678



**Tee Box**  
45679



**Bunker**  
45680



**Eagle**  
45681



**Apron**  
45682



**Caddie**  
45683

### Trims & Transitions



**Quarter Round**



**Stair Q Nose - Flush**



**Multi-purpose Reducer**



**V-SN-01**

## BACK NINE COLLECTION PRODUCT SPECIFICATIONS

TYPE	STANDARD	DETAILS
Plank Size		7" x 48"
Thickness	ASTM F386	5 mm
Wear layer	ASTM F410	20 mil
Finish		Diamante Shield™
Edge		Micro Bevel
Surface Texture		Brushed Embossing
Installation Method		Glue Down Vinyl Plank
Limited Warranties	Commercial Residential	25 year Lifetime
Certifications	GREENGUARD Gold	Certified as Low-Emitting Material, CA Section 01350 compliant
Material Composition		100% Virgin content, free of any added Ortho Phthalates or Heavy Metal Stabilizers
Country of Manufacture		South Korea

## PERFORMANCE SPECIFICATIONS

TYPE	STANDARD	DETAILS
Classification	ASTM F1700	Class III, Type B Vinyl Plank
Size & Squareness	ASTM F 2055	Passes
Chemical Resistance	ASTM F 925	Passes
Dimensional Stability	ASTM F 2199	Passes
Residual Indentation	ASTM F 1914	Passes
Resistance to Heat	ASTM F 1514	Passes
Resistance to Light	ASTM F 1515	Passes
Flexibility	ASTM F 137	Passes
Critical Radiant Flux	ASTM E 648	Class I
Smoke Density	ASTM E 662	Passes ≤450
Slip Resistance	ASTM D 2047	Passes >.55
Static Load Limit	ASTM F 970	Passes <.005
IIC Sound Rating	ASTM E 492	42 / With AMB 50
STC Sound Rating	ASTM E 90	54 / With AMB 54
Delta IIC	ASTM E 2179	14 / With AMB 21

Complete™ AMB is an approved underlayment for Luxury Vinyl

\*Sound testing was done over a 6" concrete slab with no ceiling

## PACKING SPECIFICATIONS

SQUARE FEET PER CARTON	PIECES PER CARTON	CARTONS PER PALLET	PALLETS PER CONTAINER	SF PER CONTAINER
23.33	10	50	20	23,333