

evoke[®]

LUXURY VINYL

**City Center Collection
TDS Sheet**



**Bakery
45684**



**Bank
45685**



**Park
45686**



**Florist
45687**



**Fountain
45688**



**Hotel
45689**



**Cathedral
45690**



**Courtyard
45691**

Trims & Transitions



**Quarter
Round**



Stair Q Nose - Flush



Multi-purpose Reducer



V-SN-01

CITY CENTER COLLECTION PRODUCT SPECIFICATIONS

TYPE	STANDARD	DETAILS
Plank Size		7" x 48"
Thickness	ASTM F386	2 mm
Wear layer	ASTM F410	12 mil
Finish		Diamante Shield™
Edge		Square
Surface Texture		Brushed Embossing
Installation Method		Glue Down Vinyl Plank
Limited Warranties	Commercial Residential	15 year Light 25 year
Certifications	GREENGUARD Gold	Certified as Low-Emitting Material, CA Section 01350 compliant
Material Composition		100% Virgin content, free of any added Ortho Phthalates or Heavy Metal Stabilizers
Country of Manufacture		South Korea

PERFORMANCE SPECIFICATIONS

TYPE	STANDARD	DETAILS
Classification	ASTM F1700	Class III, Type B Vinyl Plank
Size & Squareness	ASTM F 2055	Passes
Chemical Resistance	ASTM F 925	Passes
Dimensional Stability	ASTM F 2199	Passes
Residual Indentation	ASTM F 1914	Passes
Resistance to Heat	ASTM F 1514	Passes
Resistance to Light	ASTM F 1515	Passes
Flexibility	ASTM F 137	Passes
Critical Radiant Flux	ASTM E 648	Class I
Smoke Density	ASTM E 662	Passes ≤450
Slip Resistance	ASTM D 2047	Passes >.55
Static Load Limit	ASTM F 970	Passes <.005
IIC Sound Rating	ASTM E 492	36 / With AMB 47
STC Sound Rating	ASTM E 90	53 / With AMB 53
Delta IIC	ASTM E 2179	7 / With AMB 19

Complete™ AMB is an approved underlayment for Luxury Vinyl

*Sound testing was done over a 6" concrete slab with no ceiling

PACKING SPECIFICATIONS

SQUARE FEET PER CARTON	PIECES PER CARTON	CARTONS PER PALLET	PALLETS PER CONTAINER	SF PER CONTAINER
51.33	22	50	20	51,333