

**evoke<sup>®</sup>**

**LUXURY VINYL**

**Martini Collection  
TDS Sheet**



**Vesper  
45692**



**French  
45693**



**Bailey  
45694**



**Classic  
45695**



**Egnog  
45696**



**Dukes  
45697**



**Elderflower  
45698**



**Gibson  
45699**

## Trims & Transitions



**Quarter  
Round**



**Stair Q Nose - Flush**



**Multi-purpose Reducer**



**V-SN-01**

## MARTINI COLLECTION PRODUCT SPECIFICATIONS

TYPE	STANDARD	DETAILS
Plank Size		7" x 48"
Thickness	ASTM F386	3 mm
Wear layer	ASTM F410	20 mil
Finish		Diamante Shield™
Edge		Square
Surface Texture		Brushed Embossing
Installation Method		Glue Down Vinyl Plank
Limited Warranties	Commercial Residential	25 year Lifetime
Certifications	GREENGUARD Gold	Certified as Low-Emitting Material, CA Section 01350 compliant
Material Composition		100% Virgin content, free of any added Ortho Phthalates or Heavy Metal Stabilizers
Country of Manufacture		South Korea

## PERFORMANCE SPECIFICATIONS

TYPE	STANDARD	DETAILS
Classification	ASTM F1700	Class III, Type B Vinyl Plank
Size & Squareness	ASTM F 2055	Passes
Chemical Resistance	ASTM F 925	Passes
Dimensional Stability	ASTM F 2199	Passes
Residual Indentation	ASTM F 1914	Passes
Resistance to Heat	ASTM F 1514	Passes
Resistance to Light	ASTM F 1515	Passes
Flexibility	ASTM F 137	Passes
Critical Radiant Flux	ASTM E 648	Class I
Smoke Density	ASTM E 662	Passes ≤450
Slip Resistance	ASTM D 2047	Passes >.55
Static Load Limit	ASTM F 970	Passes <.005
IIC Sound Rating	ASTM E 492	37 / With AMB 48
STC Sound Rating	ASTM E 90	53 / With AMB 54
Delta IIC	ASTM E 2179	8 / With AMB 20

Complete™ AMB is an approved underlayment for Luxury Vinyl

\*Sound testing was done over a 6" concrete slab with no ceiling

## PACKING SPECIFICATIONS

SQUARE FEET PER CARTON	PIECES PER CARTON	CARTONS PER PALLET	PALLETS PER CONTAINER	SF PER CONTAINER
35	15	50	20	35,000